

Locale, Date & Time

Locale

In Linux, a locale is a set of environment variables that defines the language, country, and character encoding settings for a user's environment. Locales affect various aspects of a program's behavior, such as the way dates and times are displayed, the format of numbers, the sort order of strings, and the language used for messages.

View locale configuration

```
localectl
```

and

```
locale
```

View specific locale variable option

```
locale LC_NUMERIC
```

View available locales

```
localectl list-locales
```

Setting locale

```
localectl set-locale LANG=fr_FR.utf8
```

(reboot may be required)

Time

Check system time

```
date
```

or for more detail

```
timedatectl
```

NTP

View current NTP configuration:

```
timedatectl show-timesync --all
```

Enable NTP

```
timedatectl set-ntp on
```

Disable NTP

```
timedatectl set-ntp off
```

NTP Server selection

Most mainstream Linux distributions come with NTP servers preconfigured, these can be altered however, this is done via the `/etc/systemd/timesync.conf` file. Simply add a new line to the file formatted as follows:

```
NTP=NTPSERVERHOSTNAME
```

Timezone

Check available timezones

```
timedatectl list-timezones
```

Set server timezone

```
timedatectl set-timezone timezonename
```

Revision #4

Created 2024-05-26 21:26:15 UTC by Daniel

Updated 2024-06-06 23:54:57 UTC by Daniel